

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

# LISTING SERVICE

**LISTING No.** 2560-1202:100

Page 1 of 1

**CATEGORY:** Plastics

**LISTEE:** Poly-Tech, 1401 W. 94th St., Minneapolis, MN 55431  
Contact: Pat Larson (612) 884-7281 \* Fax (952) 885-9802

**DESIGN:** 4 mil. and 6 mil. polyethylene film in varying widths. Refer to listee's data sheet for detailed product description and operational considerations.

<b>RATING:</b>	<b>SIZE</b>	<b>FLAMESPREAD</b>	<b>SMOKE DENSITY</b>
	4 mil	15	50
	6 mil	15	55

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number and UL label.

**APPROVAL:** Listed as plastic film vapor barrier.

\*Rev. 06-05-2002



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 16, 2003**

*Listing Expires **June 30, 2004***

Authorized By: **DIANE K. AREND**, Senior Deputy  
Program Manager